




Whiskers Among Petals

by Mardell Schuster



Cat Lover Quilt

Designed by Denise Russell of Pieced Brain Quilt size: 58" x 69" Skill Level: Beginner

Blank Quilting Corporation

49 West 37th Street ◆ New York, NY 10018 - Tel: 800-294-9495 ◆ Fax: 212-679-4578 www.blankquilting.net

facebook

Whiskers Among Petals - Fabrics in the Collection



3637-11 Cats by Window - Dusty Blue



3638-90 Rock Wall and Cats - Stone



3639-19 Damask Gray



Royal Blue



3639-77 Damask 3640-19 Cats on Tables Gray



3641-22 Cats and Roses - Pink



3642-90 Patchwork Stone




3643-19 Tossed Cats - Gray



3644-22 Packed Cats - Pink



3646P-77 Panel 24" Royal Blue



3645-77 Border Stripe Royal Blue

MATERIALS

Yardages and cutting instructions are based on 42" of usable fabric width.

```
1/4 yard 3637-11 Cats by Window - Dusty Blue
```

1/4 yard 3638-90 Rock Wall and Cats - Stone

1/4 yard 3641-22 Cats and Roses-Pink

1/4 yard 3642-90 Patchwork - Stone

1/4 yard 3644-22 Packed Cats - Pink

1/8 yard 3640-19 Cats on Tables - Gray

1 yard 3643-19 Tossed Cats - Gray

1% yards 3639-19 Damask - Gray

2 yards 3639-77 Damask - Royal Blue

3¾ yards 3643-19 Tossed Cats - Gray for backing

67" x 78" piece of batting

CUTTING

Note: All strips are cut across the width of the fabric (WOF) from selvage to selvage unless otherwise indicated.

From each, cut:

3637-11 Cats by Window - Dusty Blue (A)

3638-90 Rock Wall and Cats – Stone (B)

3641-22 Cats and Roses-Pink (C)

3642-90 Patchwork - Stone (D)

3644-22 Packed Cats - Pink (E)

*(1) 5½" x WOF strip. Sub-cut (4) 5½" x 10½" rectangles.

From 3640-19 Cats on Tables - Gray, cut:

*(6) $4\frac{1}{2}$ " x WOF strips for border 3.

From 3643-19 Tossed Cats - Gray, cut:

*(3) 10½" x WOF strips. Sub-cut (20) 5½" x 10½" rectangles. (F)

From 3639-19 Damask - Gray, cut:

- *(3) 3" x WOF strips. Sub-cut (40) 3" squares. (G)
- *(3) 5½" x WOF strips. Sub-cut (20) 5½" squares. (H)
- *(9) 2" x WOF strips. Sub-cut:
- 3 strips into (10) 2" x 10½" sashing rectangles. (I)
- Set aside 6 strips for border 1.
- *(1) $10\frac{1}{2}$ " x WOF strip. Sub-cut (21) 2" x $10\frac{1}{2}$ " sashing rectangles, for a total of 31. (I)


From 3639-77 Damask - Royal Blue, cut:

- *(1) 2" x WOF strip. Sub-cut (12) 2" cornerstone squares. (J)
- *(3) 3" x WOF strips. Sub-cut (40) 3" squares. (K)
- *(3) 5½" x WOF strips. Sub-cut (20) 5½" squares (L)
- *(6) $1\frac{1}{4}$ " x WOF strips for border 2.
- *(7) $1\frac{1}{2}$ " x WOF strips for border 4.
- *(7) $2\frac{1}{2}$ " x WOF strips for binding.

From 3643-19 Tossed Cats – Gray for backing, cut:

*(2) 67" x WOF panels, pieced horizontally.

Block Assembly



1. Draw a diagonal line on the reverse side of the K and L squares. With right sides together, place one marked K square on the top left corner of an F rectangle and stitch on the drawn line. Trim the seam allowance to ¼" and press open. Repeat with the adjacent corner of the same rectangle. Do the same with all the F rectangles. Separate the rectangles into 2 groups of 10 units each. Working with the first group and noting the sewing line direction, sew an L square to the bottom left corner of the F rectangles. Repeat with the second group, except sew the L square to the bottom right corner of the rectangles. Sew together one unit of each type to make the heart and press the seams open (*Figure 1*). Make (10) 10½" blocks.




Figure 1 - Make (10) 10½" blocks.

2. Repeat Step 1 with the A, B, C, D, E, G, and H fabric pieces to make 10 more assorted 10½" blocks.


QUILT ASSEMBLY

- 3. Referring to the quilt photo for block placement, lay out 4 blocks and 3 I sashing rectangles in 5 rows and join the blocks and sashing rectangles together in each row. Press the seams toward the sashing.
- 4. To make the horizontal sashing rows, sew together 4 I sashing rectangles and 3 J cornerstone squares. Repeat to make 4 sashing strips. Press the seams toward the sashing.
- 5. Matching adjacent seams, sew the block and sashing rows together. Press the seams in one direction.
- 6. For border 1, sew the (6) 2" **3639-19 Damask Gray** border strips together end to end using diagonal seams. Measure the vertical length of the quilt top through the center and cut two border strips that length. Sew one strip to each side of the quilt top. Measure the width of the quilt top through the center. Cut two border strips that length and sew one to the top and one to the bottom. Press the seams toward the borders.
- 7. Repeat Step 6 with the (6) $1\frac{1}{4}$ " 3639-77 Damask Royal Blue strips to make and add border 2.
- 8. Repeat Step 6 with the (6) 4½" **3640-19 Cats on Tables Gray** strips to make and add border 3.
- 9. Repeat Step 6 with the (7) 1½" **3639-77 Damask Royal Blue** strips to make and add border 4.

FINISHING

- 10. Create a quilt sandwich with the batting between the quilt top and the backing. Pin or baste layers together, mark the quilting design, and quilt by hand or machine. When the quilting is complete, remove pins or basting, and trim batting and backing even with the raw edges of the quilt top.
- 11. Join the (7) 2½" **3639-77 Damask Royal Blue** binding strips together end to end using a diagonal seam to make one long strip. Trim the seams to ¼" and press them open. With wrong sides together, fold the strip in half lengthwise and press. Sew the binding to the edges of the quilt top, mitering corners and overlapping ends. Fold the binding to the back of the quilt and hand-stitch in place.





Quilt Diagram

©2024 Blank Quilting Corporation

Every effort has been made to ensure that all projects are error free. All the information is presented in good faith; however, no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.blankquilting.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.