

Watchful Eyes Wall Hanging



Finished Size of Project: **59½" x 59½" (1.51m x 1.51m)**

Fabric Collection Name and Designer: **Harvest Haunt by Episodic Drawing**

Technique: **Pieced**

Project Designed by: **Denise Russell of Pieced Brain**

Skill Level: **Beginner**

Tech Edited by: **Carli Marsico**

Watchful Eyes Wall Hanging

Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Mushrooms and Ghosts	Charcoal	4806-97	1 $\frac{3}{8}$ yards (1.26m)
(B) Moths	Green	4809-66	$\frac{3}{8}$ yard (0.34m)
(C) Tossed Fall Leaves	Cream	4810-41	$\frac{3}{8}$ yard (0.34m)
(D) Moths and Mushrooms	Brown	4812-39	$\frac{1}{4}$ yard (0.23m)
(E) Spider Web with Shadows	Charcoal	4814-97	1 yard (0.91m)
(F) Harvest Haunt Block panel	Black	4815B-99	1 yard (0.91m)
(G) Mélange	Cappucino	4509-304*	$\frac{7}{8}$ yard (0.80m)

* includes binding




(A)




(B)



(C)



(D)



(E)



(F)



(G)

Backing (Purchased Separately)

44" (1.12m) wide

Moths and Mushrooms

Brown


4812-39

3 $\frac{7}{8}$ yards (3.54m)

OR

108" (2.74m) wide

2 yards (1.83m)



Backing
44"

Additional Materials:

- Batting: 69" x 69" (1.75m x 1.75m)
- 100% cotton thread and basic sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Watchful Eyes Wall Hanging



Cutting Instructions

Notes:

- Please make sure to check blankquilting.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvedge to selvedge edge unless otherwise noted.

Fabric A, cut:

(7) 6½" x WOF for border 2

Fabric B, cut:

(5) 2" x WOF; subcut:
(6) 2" x 15" rectangles
(4) 2" x 13½" rectangles
(2) 2" x 12" rectangles

Fabric C, cut:

(4) 2" x WOF; subcut:
(6) 2" x 12" rectangles
(4) 2" x 10½" rectangles
(2) 2" x 9" rectangles

Fabric D, cut:

(1) 6" x WOF; subcut (5) 6" squares

Fabric E, cut:

(7) 2" x WOF; subcut:
(4) 2" x 13½" rectangles
(4) 2" x 12" rectangles
(4) 2" x 10½" rectangles
(4) 2" x 9" rectangles
(4) 2" x 7½" rectangles
(4) 2" x 6" rectangles

Fabric E (cont.), cut:

(11) 1½" x WOF:
Set aside (5) strips for border 1
Set aside (3) strips for horizontal sashing
Subcut (3) strips into (6) 1½" x 15" rectangles

Fabric F:

Trim panels to 15" squares

Fabric G, cut:

(7) 2½" x WOF for binding
(4) 2" x WOF; subcut:
(6) 2" x 9" rectangles
(4) 2" x 7½" rectangles
(2) 2" x 6" rectangles

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Watchful Eyes Wall Hanging

SEWING

Note: All seam allowances are $\frac{1}{4}$ " (0.64cm). Sew pieces with right sides together. Press seam allowances open unless otherwise indicated.

Courthouse Steps Block

1. Sew a 2" x 6" **Fabric G** rectangle to the top and bottom of a 6" **Fabric D** square. Press the seam away from the center. Sew a 2" x 9" **Fabric G** rectangle to either side of the **Fabric D** square. Press as before (**Fig. 1**).



Fig. 1

2. Sew a 2" x 9" **Fabric C** rectangle to the top and bottom of the step 1 unit. Press. Sew a 2" x 12" **Fabric C** rectangle to either side of the unit. Press (**Fig. 2**).




Fig. 2

3. Sew a 2" x 12" **Fabric B** rectangle to the top and bottom of the step 2 unit. Press. Sew a 2" x 15" **Fabric B** rectangle to either side of the unit to complete the 15" block. Press (**Fig. 3**).




Fig. 3

Log Cabin Blocks

4. Sew a 2" x 6" **Fabric E** rectangle to the top of a 6" **Fabric D** square. Press the seam away from the center. Sew a 2" x 7½" **Fabric E** rectangle to the left side of the **Fabric D** square. Press as before (**Fig. 4**).



Fig. 4

5. Sew a 2" x 7½" **Fabric G** rectangle to the bottom of the step 4 unit. Press. Sew a 2" x 9" **Fabric G** rectangle to the right side of the unit. Press (**Fig. 5**).




Fig. 5

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Watchful Eyes Wall Hanging

6. Sew a 2" x 9" **Fabric E** rectangle to the top of the unit. Press. Sew a 2" x 10½" **Fabric E** rectangle to the left side of the unit. Press (**Fig. 6**).




Fig. 6

7. Sew a 2" x 10½" **Fabric C** rectangle to the bottom of the unit. Press. Sew a 2" x 12" **Fabric C** rectangle to the right side of the unit. Press (**Fig. 7**).




Fig. 7

8. Sew a 2" x 12" **Fabric E** to the top of the unit. Press. Sew a 2" x 13½" **Fabric E** rectangle to the left side of the unit. Press (**Fig. 8**).




Fig. 8

9. Sew a 2" x 13½" **Fabric B** rectangle to the bottom of the unit. Press. Sew a 2" x 15" **Fabric B** rectangle to the right side of the unit to complete a 15" block. Press (**Fig. 9**).




Fig. 9

10. Repeat steps 4-9 to make a total of (4) blocks.

QUILT TOP ASSEMBLY

Note: Follow the Quilt Layout Diagram (page 7) while assembling the quilt top.

11. Lay out (3) rows as follows. In all rows press the seams toward the sashing rectangles.
Rows 1 and 3: (2) log cabin blocks; (2) 1½" x 15" **Fabric E** sashing rectangles; and (1) 15" **Fabric F** square.
Row 2: (2) 15" **Fabric F** squares; (2) 1½" x 15" **Fabric E** sashing rectangles; and the courthouse steps block.
12. To make the horizontal sashing rows, sew together the (3) 1½" **Fabric E** strips set aside earlier. Measure the length of the block rows and trim (2) long strips to that length (approx. 46").
13. Sew the block and horizontal sashing rows together. Press seams toward the sashing.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Watchful Eyes Wall Hanging

14. For border 1, sew the (5) 1½" **Fabric E** strips together end to end using diagonal seams. Measure the vertical length of the quilt top through the center and cut (2) border strips to that length (approx 46"). Sew one strip to each side of the quilt top and press the seams toward the borders. Measure the width of the quilt top through the center. Cut (2) border strips to that length (approx. 48") and sew one to the top and bottom. Press the seams toward the borders.
 15. Repeat step 14 with the (7) 6½" **Fabric A** strips to make and add border 2. Cut strips to approx. 48" and 60", respectively.
- ## FINISHING
16. Sew together the (7) 2½" **Fabric G** binding strips end to end using diagonal seams. Press the seams open. Press the binding strip in half with the wrong sides together.
 17. Layer the backing (wrong side up), batting, and wall hanging top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the wall hanging.
 18. Leaving an 8" tail of binding and beginning along an edge of the wall hanging top, match the raw edges of the binding to the raw edges of the wall hanging. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
 19. Lay both loose ends of the binding flat along the wall hanging edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, with the right sides matching. Trim the seam to ¼" and press it open. Finish sewing the binding to the wall hanging.
 20. Turn the binding over the raw edge to the back of the wall hanging and hand or machine stitch in place.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Watchful Eyes Wall Hanging

Wall Hanging Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy. All free projects are intended to remain free and are not for resale.