



Finished Size of Project: 44" x 53" (1.12m x 1.35m)

Fabric Collection Name and Designer: **Noah and Friends by Lindsey Sagar**

Technique: **Pieced**

Project Designed by: **Denise Russell of Pieced Brain**

Skill Level: **Beginner**


Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Tossed Zebras	Light Blue	4581-11	½ yard (0.46m)
(B) Doves	Cobalt	4582-77*	¾ yard (0.69m)
(C) Allover Characters	Yellow	4585-33	¾ yard (0.34m)
(D) Border Stripe	Light Blue	4586-11	1¾ yards (1.26m)
(E) Book Panel	White	4587BP-01	1 yard (0.91m)
(F) Eclipse Solids	White	3955-White	½ yard (0.46m)


* includes binding



(A)



(B)



(C)



(D)



(E)



(F)

Backing (Purchased Separately)

44" (1.12m) wide

Doves

Cobalt

4582-77

3 yards (2.74m)

OR

108" (2.74m) wide

1½ yards (1.37m)



Backing
44"

Additional Materials:

- Batting 52" x 61" (1.32m x 1.55m)
- 100% cotton thread and basic sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Cutting Instructions

Notes:

- Please make sure to check blankquilting.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvedge to selvedge edge unless otherwise noted.

Fabric A, cut:

(5) 2½" x WOF for border 3

Fabric B, cut:

(1) 7½" x WOF; subcut:

(12) 7½" x 1½" rectangles

(12) 6½" x 1½" rectangles

(6) 2½" x WOF for binding

Fabric C, cut:

(4) 2½" x WOF for border 2

Fabric D, fussy cut:

(4) 4½" x Length of Fabric (LOF)

Fabric E:

Fussy cut book pages into (12) 7½" squares

Fabric F, cut:

(9) 1½" x WOF. Set aside (4) strips for border 1.

From the remaining strips, subcut:

(3) 1½" x 26½" sashing rectangles

(8) 1½" x 8½" sashing rectangles

(24) 1½" squares

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

SEWING

Note: All seam allowances are $\frac{1}{4}$ " (0.64cm). Sew pieces with right sides together. Press seam allowances open unless otherwise indicated.

1. Sew a $1\frac{1}{2}$ " **Fabric F** square to a short end of a $1\frac{1}{2}$ " x $6\frac{1}{2}$ " **Fabric B** rectangle. Press the seam towards the square. Repeat to make (12) strips total. Sew the strips to the right side of each $7\frac{1}{2}$ " **Fabric E** square as shown. Press the seams away from the center (**Fig. 1**).




Fig. 1

2. Repeat step 1 with (12) $1\frac{1}{2}$ " **Fabric F** squares and (12) $1\frac{1}{2}$ " x $7\frac{1}{2}$ " **Fabric B** rectangles. Sew the strips to the bottom of each **Fabric E** square as shown. Press seams away from the center. Make (12) $8\frac{1}{2}$ " blocks total (**Fig. 2**).




Fig. 2

QUILT TOP ASSEMBLY

Note: Follow the Quilt Layout Diagram (page 6) while assembling the quilt top.

3. Referring to the quilt image (page 1) for block placement, lay out (4) rows with (3) blocks and (2) $1\frac{1}{2}$ " x $8\frac{1}{2}$ " **Fabric F** sashing rectangles each. Sew the blocks and sashing together in each row. Press the seams toward the sashing.
4. Arrange the (3) $1\frac{1}{2}$ " x $26\frac{1}{2}$ " **Fabric F** sashing rectangles between the block rows. Sew the block and horizontal sashing rows together. Press the seams toward the sashing.
5. For border 1, measure the vertical length of the quilt top through the center and trim (2) $1\frac{1}{2}$ " **Fabric F** strips to that length (approx. $35\frac{1}{2}$ "). Sew one strip to each side of the center panel and press the seams toward the borders. Measure the width of the quilt top through the center. Cut (2) **Fabric F** strips to that length (approx. $28\frac{1}{2}$ ") and sew to the top and bottom. Press the seams toward the borders.
6. For border 2, sew the (4) $2\frac{1}{2}$ " **Fabric C** strips together end to end using diagonal seams. Measure the vertical length of the quilt top through the center and cut (2) border strips to that length (approx. $37\frac{1}{2}$ "). Sew one strip to each side of the quilt top and press the seams toward the borders. Measure the width of the quilt top through the center. Cut (2) border strips to that length (approx. $32\frac{1}{2}$ ") and sew to the top and bottom. Press the seams toward the borders.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

7. Repeat step 6 with the (5) 2½" **Fabric A** strips to make and add border 3. Strips should be cut to approx. 41½" and 36½", respectively.
8. For border 4, measure the vertical length of the quilt top through the center and trim (2) 4½" **Fabric D** border strips to that length (approx. 45½"). Sew one strip to each side of the quilt top and press the seams toward the borders. Measure the width of the quilt top through the center. Trim (2) 4½" **Fabric D** border strips to that length (approx. 44½") and sew to the top and bottom. Press the seams toward the borders.
11. Leaving an 8" tail of binding and beginning along an edge of the quilt top, matching the raw edges of the binding to the raw edges of the quilt. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.

FINISHING


9. Sew together the (6) 2½" **Fabric B** binding strips end to end using diagonal seams. Press the seams open. Press the binding strip in half with the wrong sides together.
10. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.
12. Lay both loose ends of the binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, with the right sides matching. Trim the seam to ¼" and press it open. Finish sewing the binding to the quilt.
13. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Quilt Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy. All free projects are intended to remain free and are not for resale.