


Points of Hue

by Kris Ruff



Quilt design by Denise Russell.

Quilt size: 65" x 75"

Skill Level: Advanced Beginner

Blank Quilting Corporation
49 West 37th Street ♦ New York, NY 10018
Tel: 800-294-9495 ♦ Fax: 212-679-4578
www.blankquilting.net


facebook

Free Project
NOT FOR RESALE


Points of Hue - Fabrics in the Collection




9987-22 Interrupted
Lines - Pink




9987-33 Interrupted
Lines - Orange




9987-60 Interrupted
Lines - Chartreuse




9987-75 Interrupted
Lines - Turquoise




9988-01 Colored
Geo - White



9988-22 Colored
Geo - Pink



9988-77 Colored
Geo - Navy



9988-95 Colored
Geo - Gray



9989-22 Scallop
Geo - Pink



9989-33 Scallop
Geo - Orange



9989-60 Scallop
Geo - Chartreuse



9989-75 Scallop
Geo - Turquoise




9990-55 Rectangle
Geo - Purple




9990-77 Rectangle
Geo - Navy




9990-88 Rectangle
Geo - Red



9990-95 Rectangle
Geo - Gray




9991-77 Scribble
Navy




9991-88 Scribble
Red




9991-99 Scribble
Black




9992-22 Squares
with dots - Pink



9992-55 Squares
with dots - Purple




9992-90 Squares
with dots - Lt. Gray




9993-53 Scrolls
Orange




9993-75 Scrolls
Turquoise




9993-76 Scrolls
Chartreuse




9994-57 Wavy Lines
Purple



9994-76 Wavy Lines
Chartreuse



9994-82 Wavy Lines
Red



3955 Eclipse- White

Materials

Yardages and cutting instructions are based on 42" of usable fabric width.

1/4 yard 9989-75 Scallop Geo-Turquoise
1/4 yard 9994-76 Wavy Lines-Chartreuse
1/3 yard 9990-95 Rectangle Geo-Gray
1/3 yard 9994-82 Wavy Lines-Red
1/3 yard 9988-95 Colored Geo-Gray
1/3 yard 9993-76 Scrolls-Chartreuse
3/8 yard 9993-75 Scrolls-Turquoise
3/8 yard 9987-75 Interrupted Lines-Turquoise
1/2 yard 9987-33 Interrupted Lines-Orange
1/2 yard 9987-22 Interrupted Lines-Pink
1/2 yard 9992-55 Squares with Dots-Purple
5/8 yard 9992-22 Squares with Dots-Pink
5/8 yard 9988-77 Colored Geo-Navy
5/8 yard 9992-90 Squares with Dots-Lt. Gray
5/8 yard 9989-60 Scallop Geo-Chartreuse
2/3 yard 9989-33 Scallop Geo-Orange
3/4 yard 9993-53 Scrolls-Orange
3/4 yard 9990-55 Rectangle Geo-Purple
3/4 yard 9988-22 Colored Geo-Pink
1-1/4 yards Eclipse 3955-White
1-3/8 yards 9988-01 Colored Geo-White
1-1/2 yards 9990-77 Rectangle Geo-Navy
4-1/8 yards 9990-95 Rectangle Geo-Gray for backing
73" x 83" piece of batting
Fusible web

Cut Fabrics

Notes:

1. All strips are cut across the width of the fabric (WOF) from selvage to selvage unless otherwise noted. If cut across the length of the fabric (LOF), the **LOF** notation will be indicated.

2. The hashtag (#) symbol under this section means: **fuse the fusible web to the wrong side of the strips before sub-cutting them into smaller patches!**

From 9989-75 Scallop Geo-Turquoise:

*Cut two 1-3/8" x WOF strips. Sub-cut six 1-3/8" x 8" strips. (#)

From 9994-76 Wavy Lines-Chartreuse:

*Cut two 1-3/8" x WOF strips. Sub-cut ten 1-3/8" x 8" strips. (#)

From 9990-95 Rectangle Geo-Gray:

*Cut four 1-3/8" x WOF strips. Sub-cut eighteen 1-3/8" x 8" strips. (#)

From 9994-82 Wavy Lines-Red:

*Cut one 5-1/2" x WOF strip. Sub-cut:
- Six 5-1/2" squares; and
- Three 1-3/8" x 2-3/8" strips. (#)

From 9988-95 Colored Geo-Gray:

*Cut two 4-1/8" x WOF strips. Sub-cut twelve 4-1/8" squares.

From 9993-76 Scrolls-Chartreuse:

*Cut three 1-3/8" x WOF strips. Sub-cut twelve 1-3/8" x 8" strips. (#)

From 9993-75 Scrolls-Turquoise:

*Cut two 5-1/2" x WOF strips. Sub-cut fourteen 5-1/2" squares.

From 9987-75 Interrupted Lines-Turquoise:

*Cut two 5-1/2" x WOF strips.

From 9987-33 Interrupted Lines-Orange:

*Cut three 4-1/2" x WOF strips. Sub-cut:
- Twenty 4-1/2" squares; and
- Four 3" squares.

From 9987-22 Interrupted Lines-Pink:

*Cut one 1-3/8" x WOF strip. Sub-cut seven 1-3/8" x 2-3/8" strips. (#)

*Cut two 5-1/2" x WOF strips. Sub-cut fourteen 5-1/2" squares.

From 9992-55 Squares with Dots-Purple:

*Cut three 4-1/2" x WOF strips. Sub-cut twenty-four 4-1/2" squares.

From 9992-22 Squares with Dots-Pink:

*Cut three 5-1/2" x WOF strips. Sub-cut sixteen 5-1/2" squares.

From 9988-77 Colored Geo-Navy:

*Cut four 4-1/2" x WOF strips. Sub-cut twenty-eight 4-1/2" squares.

From 9992-90 Squares with Dots-Lt. Gray:

*Cut four 4-1/8" x WOF strips. Sub-cut twenty-eight 4-1/8" squares.

From 9989-60 Scallop Geo-Chartreuse:

*Cut three 5-1/2" x WOF strips. Sub-cut:
- Eighteen 5-1/2" squares; and
- Nine 1-3/8" x 2-3/8" strips. (#)

From 9989-33 Scallop Geo-Orange:

*Cut two 4-1/2" x WOF strips. Sub-cut:
- Twelve 4-1/2" squares; and
- Six 1-3/8" x 2-3/8" strips. (#)
*Cut two 5-1/2" x WOF strips. Sub-cut twelve 5-1/2" squares.

From 9993-53 Scrolls-Orange:

*Cut one 1-3/8" x WOF strip. Sub-cut five 1-3/8" x 2-3/8" strips. (#)
*Cut four 5-1/2" x WOF strips. Sub-cut twenty-eight 5-1/2" squares.

From 9990-55 Rectangle Geo-Purple:

*Cut three 1-3/8" x WOF strips. Sub-cut fourteen 1-3/8" x 8" strips. (#)
*Cut two 2" x WOF strips. Sub-cut twenty 2" squares.
*Cut three 3-3/8" x WOF strips. Sub-cut twenty-six 3-3/8" squares.

From 9988-22 Colored Geo-Pink:

*Cut three 3-3/8" x WOF strips. Sub-cut twenty-six 3-3/8" squares.
*Cut three 4-1/8" x WOF strips. Sub-cut twenty-four 4-1/8" squares.

From Eclipse 3955-White:

*Cut one 2-1/2" x WOF strip. Sub-cut four 2" x 10-1/2" strips (sashing).
*Cut two 5-1/2" x WOF strips.
*Cut one 10-1/2" x WOF strip. Sub-cut twenty-one 2" x 10-1/2" strips (for a total of twenty-five sashing strips).
*Cut three 1-3/4" x WOF strips for border 1 (top/bottom).
*Cut four 2-1/2" x WOF strips for border 1 (sides).

From 9988-01 Colored Geo-White:

*Cut five 3-3/8" x WOF strips. Sub-cut fifty-two 3-3/8" squares.
*Cut four 4-1/8" x WOF strips. Sub-cut thirty-six 4-1/8" squares.
*Cut two 5-1/2" x WOF strips. Sub-cut twelve 5-1/2" squares.

From 9990-77 Rectangle Geo-Navy

*Cut three 4-1/8" x WOF strips. Sub-cut twenty 4-1/8" squares.
*Cut four 4-1/2" x WOF strips. Sub-cut thirty-six 4-1/2" squares.
*Cut eight 2-1/2" x WOF strips for binding.

Assemble Blocks

Note: Measurements include 1/4" seam allowances. Sew with right sides together unless otherwise stated. If no direction is specified, press seams toward darker fabric.

1. Refer to the block diagram below (*figure 1 and Table 1*) for patch placement. Group the fabric patches to be used in each block according to the table below (*Table 2*).




Figure 1 - Block diagram.

Block section	Size of patch
A	5-1/2" x 5-1/2"
B	4-1/2" x 4-1/2"
C	4-1/8" x 4-1/8"
D	5-1/2" x 5-1/2"
E	1-3/8" x 8"
F	1-3/8" x 2-3/8"

Table 1. Patch size.

Points of Hue - Quilt 1






Block	(Fabric Patch) Fabric	(Quantity) Size
 Block 1 – Make 7	A - 9993-75 Scrolls-Turquoise B - 9988-77 Colored Geo-Navy C - 9992-90 Squares with Dots-Lt. Gray D - 9987-22 Interrupted Lines-Pink E - 9990-55 Rectangle Geo-Purple F - 9987-22 Interrupted Lines-Pink	(14) 5-1/2" x 5-1/2" (28) 4-1/2" x 4-1/2" (28) 4-1/8" x 4-1/8" (14) 5-1/2" x 5-1/2" (14) 1-3/8" x 8" (7) 1-3/8" x 2-3/8"
 Block 2 – Make 3	A - 9992-22 Squares with Dots-Pink B - 9989-33 Scallop Geo-Orange C - 9988-95 Colored Geo-Gray D - 9994-82 Wavy Lines-Red E - 9989-75 Scallop Geo-Turquoise F - 9994-82 Wavy Lines-Red	(6) 5-1/2" x 5-1/2" (12) 4-1/2" x 4-1/2" (12) 4-1/8" x 4-1/8" (6) 5-1/2" x 5-1/2" (6) 1-3/8" x 8" (3) 1-3/8" x 2-3/8"
 Block 3 – Make 6	A - 9988-01 Colored Geo-White B - 9992-55 Squares with Dots-Purple C - 9988-22 Colored Geo-Pink D - 9989-33 Scallop Geo-Orange E - 9993-76 Scrolls-Chartreuse F - 9989-33 Scallop Geo-Orange	(12) 5-1/2" x 5-1/2" (24) 4-1/2" x 4-1/2" (24) 4-1/8" x 4-1/8" (12) 5-1/2" x 5-1/2" (12) 1-3/8" x 8" (6) 1-3/8" x 2-3/8"
 Block 4 – Make 9	A - 9993-53 Scrolls-Orange B - 9990-77 Rectangle Geo-Navy C - 9988-01 Colored Geo-White D - 9989-60 Scallop Geo-Chartreuse E - 9990-95 Rectangle Geo-Gray F - 9989-60 Scallop Geo-Chartreuse	(18) 5-1/2" x 5-1/2" (36) 4-1/2" x 4-1/2" (36) 4-1/8" x 4-1/8" (18) 5-1/2" x 5-1/2" (18) 1-3/8" x 8" (9) 1-3/8" x 2-3/8"
 Block 5 – Make 5	A - 9992-22 Squares with Dots-Pink B - 9987-33 Interrupted Lines-Orange C - 9990-77 Rectangle Geo-Navy D - 9993-53 Scrolls-Orange E - 9994-76 Wavy Lines-Chartreuse F - 9993-53 Scrolls-Orange	(10) 5-1/2" x 5-1/2" (20) 4-1/2" x 4-1/2" (20) 4-1/8" x 4-1/8" (10) 5-1/2" x 5-1/2" (10) 1-3/8" x 8" (5) 1-3/8" x 2-3/8"

Table 2. Fabric placement on blocks.

Block 1

2. Draw a diagonal line on the wrong side of the 4-1/2" C squares. With right sides together, place one marked C square on a corner of a 5-1/2" x 5-1/2" A square and stitch on the drawn line. Trim seam allowance to 1/4" and press open. Repeat with the other A squares (*figure 2*) to make fourteen 5-1/2" units.



Figure 2 - Make 14.

3. Fuse the E strips diagonally onto the step 2 units and trim them to 5-1/2" squares (*figure 3*). Machine appliqué using the blanket stitch.



Figure 3

4. Draw a diagonal line on the wrong side of the 4-1/2" x 4-1/2" B squares. With right sides together, place one marked B square on a corner of one 5-1/2" x 5-1/2" D square and stitch on the drawn line. Repeat with the opposite corner of the same square. Trim seam allowances to 1/4" and press open. In the same manner, sew a 4-1/8" x 4-1/8" C square to the top left corner of the square (*figure 4*). Repeat to make fourteen 5-1/2" units.




Figure 4 - Make 14.

5. Sew two step 3 units to two step 4 units to create the 4-patch. Press the seams to one direction. Position the F strip diagonally across the center of the block and fuse it (*figure 5*). Machine appliqué using the blanket stitch. Blocks measure 10-1/2".



Figure 5 - Make 7.

6. Repeat steps 2-5 to complete the other blocks.

7. Sew the 5-1/2" 9987-75 Interrupted Lines-Turquoise strip to the 5-1/2" Eclipse 3955-White strip.

Do not press open. Repeat to make another strip set. Cut the strip sets into twenty-four 2" sections (*figure 6*). Press open.



Sashing X
Figure 6 - Make 24.

8. Draw a diagonal line on the wrong side of the 3-3/8" 9988-01 Colored Geo-White squares. With right sides together, layer the marked Colored Geo-White squares atop the 3-3/8" 9990-55 Rectangle Geo-Purple squares. Stitch 1/4" on each side of the marked line, cut on the drawn line, press each unit open with seams toward dark fabric, and trim dog ears. Repeat with the remaining 3-3/8" 9988-01 Colored Geo-White squares and the 3-3/8" 9988-22 Colored Geo-Pink. Make a total of fifty-two 3" half-square triangles (HST) of each color combination (*figure 7*).



Figure 7 - Make 52 of each.

Assemble Quilt Top

9. Referring to the quilt photo and diagram for block placement, color orientation, and type/position of sashing strips (Eclipse White strips or Sashing X), lay out the blocks and the sashing strips in six rows, and join the blocks and sashing strips together in each row. Press the seams toward the blocks.

10. To make the horizontal sashing rows, alternatively sew together five sashing strips (Eclipse White strips and Sashing X) and four 2" 9990-55 Rectangle Geo-Purple cornerstone squares. Repeat to make a total of five sashing strips. Press the seams toward the cornerstones.

11. Matching adjacent seams, sew block rows and horizontal sashing strips together. Press seams in one direction.

12. For border 1, join the four 2-1/2" Eclipse 3955-White strips end to end using diagonal seams. Stitch the border strip to one side of the quilt and trim the extra length. Repeat with the other side. Press the seams toward the border. In the same manner, join the three 1-3/4" Eclipse 3955-White strips and sew it to the top and to the bottom of the quilt top. Press the seams toward the borders. The quilt measures 60-1/2" x 70-1/2" up to here.

13. For border 2 and referring to the quilt photo and diagram for block placement, arrange twenty-eight step 8 HST for each side of the quilt. Sew blocks together and sew one border strip to each side of the quilt center. Press the seam toward quilt center.

14. Repeat step 13 with the four 3" 9987-33 Interrupted Lines-Orange squares and the remaining step 8 HST (twenty-four on each border strip) and sew one


border strip to the top and one to the bottom of the quilt center.

Finishing

15. Create a quilt sandwich with the batting between the quilt top and the backing. Pin or baste layers together, mark quilting design, and quilt by hand or machine. When quilting is complete, remove pins or basting, and trim batting and backing even with raw edges of the quilt top.

16. Join the eight 2-1/2" 9990-77 Rectangle Geo-Navy binding strips together end to end using a diagonal seam to make one long strip. Fold in half lengthwise and press. Sew binding to the edges of the quilt, mitering corners, and overlapping ends. Fold binding to the back of the quilt and stitch it in place by hand to finish.

Points of Hue - Quilt 1



Quilt Diagram showing block and sashing placement.